ELSEVIER

Journal of Virological Methods 49 (1994) 377–379

Journal of Virological Methods

Author Index

Agnès, F., Crance, J.M. and Lévêque, F. Separate detection of the two complementary RNA strands of hepatitis A virus, 323
Antonucci, T., see Heldsinger, A.A., 247
Arikawa, J., see Kariwa, H., 235

Baccard, C., see Barlet, V., 141
Barlet, V., Cohard, M., Thelu, M.A., Chaix, M.J., Baccard, C., Zarski, J.P. and Seigneurin, J.M. Quantitative detection of hepatitis B virus DNA in serum using chemiluminescence: comparison with radioactive solution hybridization assay, 141
Barreau, C., Jousset, F.-X. and Cornet, M. An efficient and easy method of infection of mosquito larvae from virus-contaminated cell cultures, 153
Battaglini, C.M., see Condorelli, F., 25
Bettinger, D., Mougin, C. and Lab, M. Rapid detection of active cytomegalovirus infection by in situ polymerase chain reaction on MRC5 cells inoculated with blood specimens, 59
Birkenmeyer, L.G. and Mushahwar, I.K. Detection of hepatitis A, B and D virus by the polymerase chain reaction, 101
Bjerre, B., see Forslund, O., 129
Blacksell, S.D., Lunt, R.A. and White, J.R. A rapid indirect ELISA for the serogrouping of Australian orbiviruses, 67
Bonami, J.-R., see Poulos, B.T., 187
Bootman, J.S. and Kitchin, P.A. Reference preparations in the standardisation of HIV-1 PCR – an international collaborative study, 1
Boucher, A., see Singh, R.P., 221
Bravo, R., see Udaykumar, 37

Carn, V.M., Kitching, R.P., Hammond, J.M. and Chand, P. Use of a recombinant antigen in an indirect ELISA for detecting bovine antibody to capripoxvirus, 285
Cason, J. Strategies for mapping and imitating viral B-cell epitopes, 209
Castro, A., see Condorelli, F., 25
Chaix, M.J., see Barlet, V., 141
Chan, S.-Y., Kautner, I.M. and Lam, S.-K. The influence of antibody levels in dengue diagnosis by polymerase chain reaction, 315
Chand, P., see Carn, V.M., 285
Chang, Y.-C., see Yan, B.-S., 343
Chen, D.-S., see Tsuei, D.-J., 269
Chen, J.-Y., see Tsuei, D.-J., 269
Chen, P.-J., see Tsuei, D.-J., 269
Cheynet, V., see Mary, C., 9
Coelen, R.J., see Sellner, L.N., 47
Cohard, M., see Barlet, V., 141
Condorelli, F., Scalia, G., Stivala, A., Gallo, R., Marino, A., Battaglini, C.M. and Castro, A. Detection of immunoglobulin G to measles virus, rubella virus, and mumps virus in serum samples and in microquantities of whole blood dried on filter paper, 25
Corbitt, G., see Morris, D.J., 367
Cornet, M., see Barreau, C., 153
Crance, J.M., see Agnès, F., 323
Crosdale, E., see Morris, D.J., 367

Donaldson, A.I., see Donn, A., 179
Donn, A., Martin, L.A. and Donaldson, A.I. Improved detection of persistent foot-and-mouth disease infection in cattle by the polymerase chain reaction, 179

Epstein, J.S., see Udaykumar, 37

Fooks, A.R., see Warnes, A., 257
Forslund, O., Hansson, B.G. and Bjerre, B. Typing of human papillomaviruses by consensus polymerase chain reaction and a non-radioactive reverse dot blot hybridization, 129
French, R. and Robertson, N.L. Simplified sample preparation for detection of wheat streak mosaic virus and barley yellow dwarf virus by PCR (Short Communication), 93

French Study Group for the Standardization of Hepatitis C virus PCR, Improvement of hepatitis C virus RNA polymerase chain reaction through a multicentre quality control study, 79

Gallo, R., see Condorelli, F., 25
Gerber, M.A., see Wu, J., 331

Hadidi, A., see Levy, L., 295
Hammond, J.M., see Carn, V.M., 285
Hansson, B.G., see Forslund, O., 129
Hashimoto, N., see Kariwa, H., 235
Heldsinger, A.A. and Antonucci, T. An HIV-1 protease screening assay using a non-infectious proviral clone, 247
Heredia, A., see Udaykumar, 37
Hewlett, I.K., see Udaykumar, 37
Hsu, T.-Y., see Tsuei, D.-J., 269

Isegawa, Y., see Kariwa, H., 235

Jousset, F.-X., see Barreau, C., 153
Jurriaans, S., see Van Gemen, B., 157

Kariwa, H., Arikawa, J., Takashima, I., Isegawa, Y., Yamanishi, K. and Hashimoto, N. Enhancement of infectivity of hantavirus in cell culture by centrifugation, 235
Kautner, I.M., see Chan, S.-Y., 315
Kawamoto, S., Ueda, K., Mita, E. and Matsubara, K. The packaging signal in hepatitis B virus pregenome functions only at the 5′ end, 113
Kievits, T., see Van Gemen, B., 157
Kitchin, P.A., see Bootman, J.S., 1
Kitching, R.P., see Carn, V.M., 285
Konno, K., see Sudo, K., 169
Kulski, J.K. Quantitation of human cytomegalovirus DNA in leukocytes by end-point titration and duplex polymerase chain reaction, 195

Lab, M., see Bettinger, D., 59
Lai, M.-Y., see Tsuei, D.-J., 269
Lakshman, D.K., see Singh, R.P., 221
Lam, S.-K., see Chan, S.-Y., 315
Lee, I.-M., see Levy, L., 295
Lens, P., see Van Gemen, B., 157
Leou, K., see Yan, B.-S., 343
Lévêque, F., see Agnès, F., 323
Levy, L., Lee, I.-M. and Hadidi, A. Simple and rapid preparation of infected plant tissue extracts for PCR amplification of virus, viroid, and MLO nucleic acids, 295
Liao, L.-Y., see Yan, B.-S., 343
Lightner, D.V., see Poulos, B.T., 187
Lunt, R.A., see Blacksell, S.D., 67

Mackenzie, J.S., see Sellner, L.N., 47
Mallet, F., see Mary, C., 9
Mandrand, B., see Mary, C., 9
Mari, J., see Poulos, B.T., 187
Marino, A., see Condorelli, F., 25
Martin, L.A., see Donn, A., 179
Mary, C., Telles, J.N., Cheynet, V., Oriol, G., Mallet, F., Mandrand, B. and Verrier, B. Quantitative and discriminative detection of individual HIV-1 mRNA subspecies by an RNAse mapping assay, 9
Matsubara, K., see Kawamoto, S., 113
Meyer, H., see Pfeffer, M., 353
Mita, E., see Kawamoto, S., 113
Morris, D.J., Corbitt, G. and Crosdale, E. Same-day testing for human immunodeficiency virus antibodies, 367
Mougin, C., see Bettinger, D., 59
Mushahwar, I.K., see Birkenmeyer, L.G., 101

Nabbe, A., see Van Gemen, B., 157
Ng, M.L., Yeong, F.M. and Tan, S.H. Cryosubstitution technique reveals new morphology of flavivirus-induced structures, 305

Oriol, G., see Mary, C., 9

Pfeffer, M., Meyer, H. and Wiedmann, M. A ligase chain reaction targeting two adjacent nucleotides allows the differentiation of cowpox virus from other *Orthopoxvirus* species, 353
Poulos, B.T., Mari, J., Bonami, J.-R., Redman, R. and Lightner, D.V. Use of non-radioactively labeled DNA probes for the detection of a baculovirus from *Penaeus monodon* by in situ hybridization on fixed tissue, 187

Redman, R., see Poulos, B.T., 187
Robertson, N.L., see French, R., 93
Russell, W.C., see Tarassishin, L.A., 89

Scalia, G., see Condorelli, F., 25
Seigneurin, J.M., see Barlet, V., 141
Sellner, L.N., Coelen, R.J. and Mackenzie, J.S. Sensitive detection of Ross River virus – a one-tube nested RT-PCR, 47
Shigeta, S., see Sudo, K., 169
Singh, R.P., Boucher, A., Lakshman, D.K. and Tavantzis, S.M. Multimeric non-radioactive cRNA probes improve detection of potato spindle tuber viroid (PSTVd), 221
Soriano, V., see Udaykumar, 37
Stephenson, J.R., see Warnes, A., 257
Stivala, A., see Condorelli, F., 25

Sudo, K., Konno, K., Yokota, T. and Shigeta, S. A sensitive assay system screening antiviral compounds against herpes simplex virus type 1 and type 2, 169
Sullivan, D.E., see Wu, J., 331
Syu, W.-J., see Yan, B.-S., 343

Takashima, I., see Kariwa, H., 235
Tan, S.H., see Ng, M.L., 305
Tanaka, T., see Urabe, M., 361
Tarassishin, L.A. and Russell, W.C. A competitive avidin-biotin ECL dot-blot assay for epitope mapping of monoclonal antibodies (Short Communication), 89
Tavantzis, S.M., see Singh, R.P., 221
Telles, J.N., see Mary, C., 9
Thelu, M.A., see Barlet, V., 141
Tobita, K., see Urabe, M., 361
Tsuei, D.-J., Chen, P.-J., Lai, M.-Y., Chen, D.-S., Yang, C.-S., Chen, J.-Y. and Hsu, T.-Y. Inverse polymerase chain reaction for cloning cellular sequences adjacent to integrated hepatitis B virus DNA in hepatocellular carcinomas, 269

Udaykumar, , Heredia, A., Soriano, V., Bravo, R., Epstein, J.S. and Hewlett, I.K. Enhanced diagnostic efficiency of the polymerase chain reaction by co-amplification of multiple regions of HIV-1 and HIV-2, 37
Ueda, K., see Kawamoto, S., 113
Urabe, M., Tanaka, T. and Tobita, K. Use of competitive PCR to estimate the level of NS gene persisting in MDCK cells which survived productive replication of a mutant of influenza virus A/WSN, 361

Van Beuningen, R., see Van Gemen, B., 157
Van Gemen, B., Van Beuningen, R., Nabbe, A., Van Strijp, D., Jurriaans, S., Lens, P. and Kievits, T. A one-tube quantitative HIV-1 RNA NASBA nucleic acid amplification assay using electrochemiluminescent (ECL) labelled probes, 157
Van Strijp, D., see Van Gemen, B., 157
Verrier, B., see Mary, C., 9

Warnes, A., Fooks, A.R. and Stephenson, J.R. Production of measles nucleoprotein in different expression systems and its use as a diagnostic reagent, 257
White, J.R., see Blacksell, S.D., 67
Wiedmann, M., see Pfeffer, M., 353
Wu, J., Sullivan, D.E. and Gerber, M.A. Quantitative polymerase chain reaction for hepatitis B virus DNA, 331

Yamanishi, K., see Kariwa, H., 235
Yan, B.-S., Liao, L.-Y., Leou, K., Chang, Y.-C. and Syu, W.-J. Truncating the putative membrane association region circumvents the difficulty of expressing hepatitis C virus protein E1 in *Escherichia coli*, 343
Yang, C.-S., see Tsuei, D.-J., 269
Yeong, F.M., see Ng, M.L., 305
Yokota, T., see Sudo, K., 169

Zarski, J.P., see Barlet, V., 141

ELSEVIER

Journal of Virological Methods 49 (1994) 380–383

Journal of Virological Methods

Subject Index

Antibody; Virus; Epitope mapping, 209
Capripoxvirus; Recombinant antigen; ELISA; Bovine, 285
Human immunodeficiency virus; HIV; Rapid testing; Same-day results, 367
Anti-dengue antibody; Dengue diagnosis; RT-PCR, 315
Antiviral therapy monitoring; Hepatitis B virus DNA; Quantitative chemiluminescent assay; Solution hybridization method, 141
Arbovirus; Australia; Orbivirus; ELISA; Serogroup; Sodium deoxycholate; Bluetongue, 67
ATI-gene; Ligase chain reaction; LCR; Radioactive detection; *Orthopoxvirus*, 353
Australia; Orbivirus; ELISA; Serogroup; Sodium deoxycholate; Bluetongue; Arbovirus, 67

Barley yellow dwarf virus; Wheat streak mosaic virus; Polymerase chain reaction; PCR 93
Biotin; Epitope mapping; ECL; Monoclonal antibody, 89
Bluetongue; Australia; Orbivirus; ELISA; Serogroup; Sodium deoxycholate; Arbovirus, 67
Bovine; Capripoxvirus; Recombinant antigen; ELISA; Antibody, 285

Capripoxvirus; Recombinant antigen; ELISA; Antibody; Bovine, 285
Carrier; Foot-and-mouth disease; Persistence; Polymerase chain reaction; Virus, 179
Cell culture; Experimental infection; Mosquito larva; Virus, 153
Centrifugation; Hantavirus; Infectivity, 235
Chemiluminescent substrate; Potato spindle tuber viroid; Viroid; Dot-blot hybridization; Digoxigenin-labelled probe, RNA and DNA; Colorimetric substrate, 221
Coamplification; HIV-1; HIV-2; Polymerase chain reaction; PCR; Coinfections, 37
Coinfectious; HIV-1; HIV-2; Polymerase chain reaction; PCR; Coamplification, 37
Colorimetric substrate; Potato spindle tuber viroid; Viroid; Dot-blot hybridization; Digoxigenin-labelled probe, RNA and DNA; Chemiluminescent substrate, 221
Competitive PCR; Polymerase chain reaction; Virus quantification; Hepatitis B; HBV, 331
Competitive polymerase chain reaction; Persistent infection; Influenza virus; MDCK cell; NS gene, 361
Consensus primer; Papillomavirus; Polymerase chain reaction; Reverse dot blot hybridization, 129
Cryosectioning; Flavivirus; Cryosubstitution; Electron microscopy, 305
Cryosubstitution; Flavivirus; Cryosectioning; Electron microscopy, 305
Cytomegalovirus; Quantitative PCR; End-point titration, 195

Dengue diagnosis; Anti-dengue antibody; RT-PCR, 315
Detection; Plum pox virus; Viroid; Mycoplasma-like organism; Tissue extraction; PCR, 295
Diagnostic assay; Measles; Nucleoprotein, 257
Diagnostic PCR; HIV; Reference preparations; Standardisation, 1
Digoxigenin-labelled probe, RNA and DNA; Potato spindle tuber viroid; Viroid; Dot-blot hybridization; Colorimetric substrate; Chemiluminescent substrate, 221
Discriminative detection; HIV-1; RNAse mapping; Quantitative detection, 9
DNA probe; In situ hybridization; PmSNPV; MBV; Shrimp baculovirus, 187
Dot-blot hybridization; Potato spindle tuber viroid; Viroid; Digoxigenin-labelled probe, RNA and DNA; Colorimetric substrate; Chemiluminescent substrate, 221

ECL; Epitope mapping; Biotin; Monoclonal antibody, 89

EIA; Whole blood; Microquantity; Measles virus; Rubella virus; Mumps virus, 25
Electrochemiluminescence, quantitative; NASBA; HIV-1; RNA, 157
Electron microscopy; Flavivirus; Cryosectioning; Cryosubstitution, 305
ELISA; Australia; Orbivirus; Serogroup; Sodium deoxycholate; Bluetongue; Arbovirus, 67
Capripoxvirus; Recombinant antigen; Antibody; Bovine, 285
End-point titration; Quantitative PCR; Cytomegalovirus, 195
Envelope protein; Hepatitis C virus; RNA virus; Western blotting; Glutathione-*S*-transferase, 343
Epitope mapping; Biotin; ECL; Monoclonal antibody, 89
Virus; Antibody, 209
Experimental infection; Mosquito larva; Virus; Cell culture, 153

Flavivirus; Cryosectioning; Cryosubstitution; Electron microscopy, 305
Foot-and-mouth disease; Carrier; Persistence; Polymerase chain reaction; Virus, 179

Glutathione-*S*-transferase; Hepatitis C virus; RNA virus; Western blotting; Envelope protein, 343

Hantavirus; Infectivity; Centrifugation, 235
HAV primer; HAV probe; HBV primer; HBV probe; HDV primer; HDV probe; Polymerase chain reaction, 101
HAV probe; HAV primer; HBV primer; HBV probe; HDV primer; HDV probe; Polymerase chain reaction, 101
HBV; Polymerase chain reaction; Competitive PCR; Virus quantification; Hepatitis B, 331
HBV integration; Hepatocellular carcinoma; Inverse polymerase chain reaction, 269
HBV primer; HAV primer; HAV probe; HBV probe; HDV primer; HDV probe; Polymerase chain reaction, 101
HBV probe; HAV primer; HAV probe; HBV primer; HDV primer; HDV probe; Polymerase chain reaction, 101
HDV primer; HAV primer; HAV probe; HBV primer; HBV probe; HDV probe; Polymerase chain reaction, 101
HDV probe; HAV primer; HAV probe; HBV primer; HBV probe; HDV primer; Polymerase chain reaction, 101
Hepatitis A virus; Minus-strand RNA; RT-PCR; Replication cycle; RNA-polymerase, 323
Hepatitis B; Polymerase chain reaction; Competitive PCR; Virus quantification; HBV, 331
Hepatitis B virus; Pregenome; Packaging signal, 113
Hepatitis B virus DNA; Quantitative chemiluminescent assay; Solution hybridization method; Antiviral therapy monitoring, 141
Hepatitis C virus; Polymerase chain reaction; Quality control; Serological assay, 79
RNA virus; Western blotting; Glutathione-*S*-transferase; Envelope protein, 343
Hepatocellular carcinoma; HBV integration; Inverse polymerase chain reaction, 269
Herpes simplex virus; MRC-5 cell; MTT assay, 169
HIV; Diagnostic PCR; Reference preparations; Standardisation, 1
Human immunodeficiency virus; Antibody; Rapid testing; Same-day results, 367
HIV-1; RNAse mapping; Quantitative detection; Discriminative detection, 9
HIV-2; Polymerase chain reaction; PCR; Coamplification; Coinfections, 37
NASBA; Electrochemiluminescence, quantitative; RNA, 157
Protease; Screening assay, 247
HIV-2; HIV-1; Polymerase chain reaction; PCR; Coamplification; Coinfections, 37
Human cytomegalovirus; in situ PCR; MRC5 fibroblasts; Leukocytes, 59
Human immunodeficiency virus; HIV; Antibody; Rapid testing; Same-day results, 367

Infectivity; Hantavirus; Centrifugation, 235
Influenza virus; Persistent infection; MDCK cell; NS gene; Competitive polymerase chain reaction, 361
In situ hybridization; DNA probe; PmSNPV; MBV; Shrimp baculovirus, 187
Inverse polymerase chain reaction; HBV integration; Hepatocellular carcinoma, 269

LCR; Ligase chain reaction; Radioactive detection; *Orthopoxvirus*; ATI-gene, 353
Leukocytes; Human cytomegalovirus; in situ PCR; MRC5 fibroblasts, 59
Ligase chain reaction; LCR; Radioactive detection; *Orthopoxvirus*; ATI-gene, 353

MBV; DNA probe; In situ hybridization; PmSNPV; Shrimp baculovirus, 187
MDCK cell; Persistent infection; Influenza virus; NS gene; Competitive polymerase chain reaction, 361

Measles; Nucleoprotein; Diagnostic assay, 257
Measles virus; Whole blood; Microquantity; EIA; Rubella virus; Mumps virus, 25
Microquantity; Whole blood; EIA; Measles virus; Rubella virus; Mumps virus, 25
Minus-strand RNA; Hepatitis A virus; RT-PCR; Replication cycle; RNA-polymerase, 323
Monoclonal antibody; Epitope mapping; Biotin; ECL, 89
Mosquito larva; Experimental infection; Virus; Cell culture, 153
MRC-5 cell; Herpes simplex virus; MTT assay, 169
MRC5 fibroblasts; Human cytomegalovirus; in situ PCR; Leukocytes, 59
MTT assay; Herpes simplex virus; MRC-5 cell, 169
Mumps virus; Whole blood; Microquantity; EIA; Measles virus; Rubella virus, 25
Mycoplasmalike organism; Plum pox virus; Viroid; Tissue extraction; Detection; PCR, 295

NASBA; Electrochemiluminescence, quantitative; HIV-1; RNA, 157
NS gene; Persistent infection; Influenza virus; MDCK cell; Competitive polymerase chain reaction, 361
Nucleoprotein; Measles; Diagnostic assay, 257

Orbivirus; Australia; ELISA; Serogroup; Sodium deoxycholate; Bluetongue; Arbovirus, 67
Orthopoxvirus; Ligase chain reaction; LCR; Radioactive detection; ATI-gene, 353

Packaging signal; Hepatitis B virus; Pregenome, 113
Papillomavirus; Polymerase chain reaction; Consensus primer; Reverse dot blot hybridization, 129
PCR; HIV-1; HIV-2; Polymerase chain reaction; Coamplification; Coinfections, 37
Wheat streak mosaic virus; Barley yellow dwarf virus; Polymerase chain reaction, 93
Plum pox virus; Viroid; Mycoplasmalike organism; Tissue extraction; Detection, 295
in situ PCR; Human cytomegalovirus; MRC5 fibroblasts; Leukocytes, 59
Persistence; Foot-and-mouth disease; Carrier; Polymerase chain reaction; Virus, 179
Persistent infection; Influenza virus; MDCK cell; NS gene; Competitive polymerase chain reaction, 361
Plum pox virus; Viroid; Mycoplasmalike organism; Tissue extraction; Detection; PCR. 295
PmSNPV; DNA probe; In situ hybridization; MBV; Shrimp baculovirus, 187
Polymerase chain reaction; HIV-1; HIV-2; PCR; Coamplification; Coinfections, 37
RT-PCR; Ross River virus; RNA virus, 47
Hepatitis C virus; Quality control; Serological assay, 79
Wheat streak mosaic virus; Barley yellow dwarf virus; PCR, 93
HAV primer; HAV probe; HBV primer; HBV probe; HDV primer; HDV probe, 101
Papillomavirus; Consensus primer; Reverse dot blot hybridization, 129
Foot-and-mouth disease; Carrier; Persistence; Virus, 179
Competitive PCR; Virus quantification; Hepatitis B; HBV, 331
Potato spindle tuber viroid; Viroid; Dot-blot hybridization; Digoxigenin-labelled probe, RNA and DNA; Colorimetric substrate; Chemiluminescent substrate, 221
Pregenome; Hepatitis B virus; Packaging signal, 113
Protease; HIV-1; Screening assay, 247

Quality control; Hepatitis C virus; Polymerase chain reaction; Serological assay, 79
Quantitative chemiluminescent assay; Hepatitis B virus DNA; Solution hybridization method; Antiviral therapy monitoring, 141
Quantitative detection; HIV-1; RNAse mapping; Discriminative detection, 9
Quantitative PCR; End-point titration; Cytomegalovirus, 195

Radioactive detection; Ligase chain reaction; LCR; *Orthopoxvirus*; ATI-gene, 353
Rapid testing; Human immunodeficiency virus; HIV; Antibody; Same-day results, 367
Recombinant antigen; Capripoxvirus; ELISA; Antibody; Bovine, 285
Reference preparations; Diagnostic PCR; HIV; Standardisation, 1
Replication cycle; Hepatitis A virus; Minus-strand RNA; RT-PCR; RNA-polymerase, 323
Reverse dot blot hybridization; Papillomavirus; Polymerase chain reaction; Consensus primer, 129
RNA; NASBA; Electrochemiluminescence, quantitative; HIV-1, 157
RNA-polymerase; Hepatitis A virus; Minus-strand RNA; RT-PCR; Replication cycle, 323
RNAse mapping; HIV-1; Quantitative detection; Discriminative detection, 9

RNA virus; RT-PCR; Polymerase chain reaction; Ross River virus, 47
Hepatitis C virus; Western blotting; Glutathione-*S*-transferase; Envelope protein, 343
Ross River virus; RT-PCR; Polymerase chain reaction; RNA virus, 47
RT-PCR; Polymerase chain reaction; Ross River virus; RNA virus, 47
Dengue diagnosis; Anti-dengue antibody, 315
Hepatitis A virus; Minus-strand RNA; Replication cycle; RNA-polymerase, 323
Rubella virus; Whole blood; Microquantity; EIA; Measles virus; Mumps virus, 25

Same-day results; Human immunodeficiency virus; HIV; Antibody; Rapid testing, 367
Screening assay; HIV-1; Protease, 247
Serogroup; Australia; Orbivirus; ELISA; Sodium deoxycholate; Bluetongue; Arbovirus, 67
Serological assay; Hepatitis C virus; Polymerase chain reaction; Quality control, 79
Shrimp baculovirus; DNA probe; In situ hybridization; PmSNPV; MBV, 187
Sodium deoxycholate; Australia; Orbivirus; ELISA; Serogroup; Bluetongue; Arbovirus, 67
Solution hybridization method; Hepatitis B virus DNA; Quantitative chemiluminescent assay; Antiviral therapy monitoring, 141
Standardisation; Diagnostic PCR; HIV; Reference preparations, 1

Tissue extraction; Plum pox virus; Viroid; Mycoplasmalike organism; Detection; PCR, 295

Viroid; Potato spindle tuber viroid; Dot-blot hybridization; Digoxigenin-labelled probe, RNA and DNA; Colorimetric substrate; Chemiluminescent substrate, 221
Plum pox virus; Mycoplasmalike organism; Tissue extraction; Detection; PCR, 295
Virus; Experimental infection; Mosquito larva; Cell culture, 153
Foot-and-mouth disease; Carrier; Persistence; Polymerase chain reaction, 179
Epitope mapping; Antibody, 209
Virus quantification; Polymerase chain reaction; Competitive PCR; Hepatitis B; HBV, 331

Western blotting; Hepatitis C virus; RNA virus; Glutathione-*S*-transferase; Envelope protein, 343
Wheat streak mosaic virus; Barley yellow dwarf virus; Polymerase chain reaction; PCR, 93
Whole blood; Microquantity; EIA; Measles virus; Rubella virus; Mumps virus, 25